

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	6	US-6311228-\$.DID. OR US-6378035-\$.DID. OR US-6360220-\$.DID.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 14:37
S2	52876	((peripheral device module) near2 (transfer send receive) near2 (data packet frame datagram))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 14:39
S3	46148	((peripheral device module) near2 (transfer send receive) near2 (data packet frame datagram)) AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 14:40
S4	24701097	((peripheral device module) near2 (transfer transferring send\$3 receive receiving) near2 (data packet frame datagram)) AND ((deactivat\$3 reuse recycle recycling) NEAR2 (command instruction request)) (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 14:43
S5	264	((peripheral device module) near2 (transfer transferring send\$3 receive receiving) near2 (data packet frame datagram)) AND ((deactivat\$3 reuse recycle recycling) NEAR2 (command instruction request)) AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 14:43
S6	264	((peripheral device module) near2 (transfer transferring send\$3 receive receiving) near2 (data packet frame datagram)) AND ((deactivat\$3 reuse recycle recycling) NEAR2 (command instruction request)) AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 14:45

EAST Search History

S7	133	((peripheral device module) near2 (transfer transferring send\$3 receive receiving) near2 (data packet frame datagram)) AND ((deactivat\$3 reuse recycle recycling) NEAR2 (command instruction request)) AND ("710"/\$.CCLS. "709"/\$.CCLS. "370"/\$.CCLS. "711"/\$.ccls.) AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 14:53
S8	706	((deactivat\$3 reuse recycle recycling) NEAR2 (command instruction request)) AND ("710"/\$.CCLS. "709"/\$.CCLS. "370"/\$.CCLS. "711"/\$.ccls.) AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 17:02
S9	186	((deactivat\$3 reuse recycle recycling) NEAR2 (command instruction request)) AND ("710"/\$.CCLS.) AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 14:54
S10	129	((deactivat\$3 reuse recycle recycling) NEAR2 (command instruction request)) SAME (buffer cache queue)) AND ("710"/\$.CCLS. "709"/\$.CCLS. "370"/\$.CCLS. "711"/\$.ccls.) AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 17:25
S11	1	((deactivat\$3 reuse recycle recycling) NEAR2 (command instruction request)) SAME (buffer cache queue)) AND "6662297".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 17:25
S12	1127	((deactivat\$3 reuse recycle recycling off activat\$3) NEAR2 (command instruction request)) SAME ((command instruction request) near3 (buffer cache queue))) AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 17:27
S13	120	((deactivat\$3 reuse recycle recycling) NEAR2 (command instruction request)) SAME ((command instruction request) near3 (buffer cache queue))) AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 17:28

EAST Search History

S14	34937	((command instruction request) adj2 (buffer cache queue)) AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 17:29
S15	14380	((command instruction request) adj2 (buffer cache queue)) AND ("710"/\$.CCLS. "709"/\$.CCLS. "370"/\$.CCLS. "711"/\$.ccls.) AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 17:30
S16	27	((deactivat\$3 reuse recycle recycling) NEAR2 (command instruction request)) SAME ((command instruction request) adj2 (buffer cache queue)) AND ("710"/\$.CCLS. "709"/\$.CCLS. "370"/\$.CCLS. "711"/\$.ccls.) AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 18:02
S17	14380	((command instruction request) adj2 (buffer cache queue)) AND ("710"/\$.CCLS. "709"/\$.CCLS. "370"/\$.CCLS. "711"/\$.ccls.) AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 17:44
S18	470	((off flag mark) near2 (command instruction request)) SAME ((command instruction request) adj2 (buffer cache queue))) AND ("710"/\$.CCLS. "709"/\$.CCLS. "370"/\$.CCLS. "711"/\$.ccls.) AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 17:46
S19	303	((flag mark) near2 (command instruction request)) SAME ((command instruction request) adj2 (buffer cache queue))) AND ("710"/\$.CCLS. "709"/\$.CCLS. "370"/\$.CCLS. "711"/\$.ccls.) AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 17:47

EAST Search History

S20	114	((flag mark) near2 (command instruction request)) SAME ((command instruction request) adj2 (buffer cache queue)) SAME (receive receiving send\$3 transfer transferring)) AND ("710"/\$.CCLS. "709"/\$.CCLS. "370"/\$.CCLS. "711"/\$.ccls.) AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 17:48
S21	17	((deactivat\$3) NEAR2 (command instruction request)) SAME ((command instruction request) adj2 (buffer cache queue)) AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 18:24
S22	62081	((buffer) SAME (full fill filled)) AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 18:25
S23	3282	((buffer) SAME (full fill filled)) AND ("710"/\$.CCLS.)AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 18:26
S24	1302	((buffer) SAME (full fill filled) SAME (transfer)) AND ("710"/\$.CCLS.)AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 18:26
S25	1195	((buffer) SAME (full fill filled) SAME (transfer) SAME (data)) AND ("710"/\$.CCLS.)AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 18:26
S26	743	((buffer) near3 (full fill filled)) SAME (transfer) SAME (data)) AND ("710"/\$.CCLS.)AND (@ad<"20030909" @rlad<"20030909")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 18:27

EAST Search History

S27	545	((((buffer) near3 (full fill filled)) SAME ((transfer) near2 (data))) AND ("710"/\$.CCLS.)AND (@ad<"20030909" @rlad<"20030909"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 18:27
S28	545	((((buffer) near3 (full fill filled)) SAME ((transfer) near2 (data))) AND ("710"/\$.CCLS.) AND (@ad<"20030909" @rlad<"20030909"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 18:28
S29	491	((((buffer) near2 (full fill filled)) SAME ((transfer) near2 (data))) AND ("710"/\$.CCLS.) AND (@ad<"20030909" @rlad<"20030909"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 18:28
S30	242	((((buffer) near2 (fill filled)) SAME ((transfer) near2 (data))) AND ("710"/\$.CCLS.) AND (@ad<"20030909" @rlad<"20030909"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 18:29
S31	51	((((buffer) near2 (fill filled)) SAME ((transfer) near2 (data)) SAME (signal)) AND ("710"/\$.CCLS.) AND (@ad<"20030909" @rlad<"20030909"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 18:29
S32	4555	710/8,15,33,52,57.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 19:57
S33	172	710/8,15,33,52,57.CCLS. AND (((buffer) near2 (full fill filled)) SAME ((transfer) near2 (data))) AND (@ad<"20030909" @rlad<"20030909"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/11 19:57